

PUBBLICAZIONI

- **N. Canu.** A. Di Luzio, F.Florenzano, Borsello T and MT Ciotti (2011) Down-regulation of D-serine racemase during serum and potassium deprivation of cultured cerebellar granule cells contribute to cell death (in prep)
- **Canu N**, Filesi I, Pristerà A, Ciotti MT and Biocca S (2001) Altered intracellular distribution of PrP^C and impairment of proteasome activity in tau-overexpressing cortical neurons (submitted)
- Manni L., Canu N., Rocco ML., Pristerà A., Pistillo L., Aloe L (2011) Electroacupuncture counteracts cholinergic deficit and tau hyperphosphorylation in the brain of diabetic rats. J of Alzheimer Dis. (submitted)
- **N. Canu**, I. Filesi, A. Pristerà, MT Ciotti, and S. Biocca (2011) Aggregation and altered intracellular distribution of prion protein in neurons overexpressing tau. J of Alzheimer Dis. (submitted)
- Carunchio I, Curcio L, Pieri M, Pica F, Caioli S, Visconti MT, Molinari M, **Canu N**, Bernardi G, Zona C. (2010) Increased levels of p70S6 phosphorylation in the G93A mouse model of Amyotrophic Lateral Sclerosis and in valine-exposed cortical neurons in culture. Exp Neurol. 226(1):218-30
- **N. Canu** e P.Calissano (2009) La morte cellulare programmata. Enciclopedia Treccani
- V.Corsetti, G. Amadoro, A. Gentile, S.Capsoni, M.T. Ciotti, M.T. Cencioni, A. Atlante, **N. Canu** , T. T. Rohn, A.Cattaneo and P.Calissano (2008). Identification of a caspase-derived N-terminal tau fragment in cellular and animal alzheimer disease models. Mol Cell Neurosci 38:381-392,
- Guatteo E, Carunchio I, Pieri M, Albo F, **Canu N**, Mercuri NB, Zona C. (2007) Altered calcium homeostasis in motor neurons following AMPA receptor but not voltage-dependent calcium channels' activation in a genetic model of amyotrophic lateral sclerosis. Neurobiol Dis 28:90-100.
- Amadoro G, Pieri M, Ciotti MT, Carunchio I, **Canu N**, Calissano P, Zona C, Severini C. (2007) Substance P provides neuroprotection in cerebellar granule cells through Akt and MAPK/Erk activation: evidence for the involvement of the delayed rectifier potassium current. Neuropharmacology. 52(6):1366-77.
- Amadoro G, Ciotti Mt, Costanzi M, Cestari V, Calissano P and **Canu N**. (2006). NMDA receptor mediates tau-induced neurotoxicity by calpain and ERK/MAPK activation. *Proceedings of The National Academy of Sciences of The United States of America*. vol. 103 pp. 2892-2897

- **Canu N** And Calissano P (2006) Role of the ubiquitin proteasome system during neuronal cell death, pp 133-148. *The proteasome in Neurodegeneration edited by Stefanis L and Keller JN, Springer NY, USA.*
- Barbato C, **Canu N**, Zambrano N, Serafino A, Minopoli G, Ciotti Mt, Amadoro G, Russo T, Calissano P. (2005). Interaction of Tau with Fe65 links tau to APP. *Neurobiology of Disease*. vol. 18(2) pp. 399-408. **Impact factor: 4.86**
- **Canu N**, Tufi R, Serafino Al, Amadoro G, Ciotti Mt, Calissano P. (2005). Role of the autophagic-lysosomal system on low potassium-induced apoptosis in cultured cerebellar granule cells. *Journal of Neurochemistry*. vol. 92 pp. 1228-1242:
- Micheli L, Leonardi L, Conti F, Buanne P, **Canu N**, Caruso M, Tirone F. (2005). PC4 Coactivates MyoD by Relieving the Histone Deacetylase 4-Mediated Inhibition of Myocyte Enhancer Factor 2C. *Molecular And Cellular Biology*. vol. 25 n°6 pp. 2242-2259
- Amadoro G, Serafino Al, Barbato C, Ciotti Mt, Sacco A, Calissano P and **Canu N** (2004). Role of N-terminal tau domain integrity on the survival of cerebellar granule neurons. *Cell Death and Differentiation* vol. 11 pp. 217-230.
- Barbato C, Corbi N, **Canu N**, Fanciulli M, Serafino A, Ciotti M, Libri V, Bruno T, Amadoro G, De Angelis R, Calissano P, Passananti C. (2003). Rb binding protein Che-1 interacts with Tau in cerebellar granule neurons. Modulation during neuronal apoptosis. *Molecular and Cellular Neurosciences* vol. 4 pp. 1038-1050.
- **Canu N**, Calissano P. (2003). In vitro cultured neurons for molecular studies correlating apoptosis with events related to Alzheimer disease. *Cerebellum*, vol. 2(4) pp. 270-278.
- Bobba A, **Canu N**, Atlante A, Petragallo V, Calissano P, Marra E. (2002). Proteasome inhibitors prevent cytochrome c release during apoptosis but not in excitotoxic death of cerebellar granule neurons. *FEBS Letters*, vol. 515(1-3) pp. 8-12.
- Trani E, Giorgi A, **Canu N**, Amadoro G, Rinaldi Am, Halban Pa, Ferri Gl, Possenti R, Schinina Me, Levi A. (2002). Isolation and characterization of VGF peptides in rat brain. Role of PC1/3 and PC2 in the maturation of VGF precursor. *Journal Of Neurochemistry*, vol. 81(3) pp. 565-574
- **Canu N**, Barbato C, Ciotti Mt, Serafino A, Dus L, Calissano P. (2000). Proteasome involvement and accumulation of ubiquitinated proteins in cerebellar granule neurons undergoing apoptosis. *Journal of Neuroscience*. vol. 20 pp. 589-599

- **Canu N**, Dus L, Barbato C, Ciotti Mt, Brancolini C, Rinaldi Am, Novak M, Cattaneo A, Bradbury A, Calissano P. (1998). Tau cleavage and dephosphorylation in cerebellar granule neurons undergoing apoptosis. *Journal of Neuroscience*. vol. 18 pp. 7061-7074.
- Calissano P, **Canu N**, e Galli C. (1998) La morte neuronale programmata. *Scientific American (Edizione Italiana)* 364: 64-72.
- Calissano P, **Canu N** e Galli C (1998) Morte programmata e morbo di Alzheimer (1998) *Ricerca e Futuro*, 12: 49-51
- Calissano P, Ciotti Mt, Galli C, Mercanti D, Dus L, **Canu N**, Barbato C, Vitolo Ov, Atlante A, Gagliardini S (1998) The role of IGF-1 in cerebellar granule cell survival and terminal differentiation. In *IGF-1 In The Nervous System*, Pp 60-71. Edited by EE Muller. SPRINGER.
- **Canu N**, Possenti R, Ricco As, Rocchi M, Levi A. (1997). Cloning, structural organization analysis, and chromosomal assignment of the human gene for the neurosecretory protein VGF. *Genomics*. vol. 45(2) pp. 443-446.
- P. Calissano, G. Amadoro, C.Matrone, S. Ciaffrè, V.Corsetti, R. Marolda, MT Ciotti, A. DiLuzio, C.Severini, D.Mercanti, C.Provenzano, **N. Canu** (2010) Does the term “NGF” actually means anti-amyloidogenic ? The case of NGF. *Cell Death and Diff* 17(7): 1126-1133
- **N.Canu** (2010) Dizionario della Mente. Enciclopedia Treccani
- **N.Canu** Dizionario di Medicina (2009) Enciclopedia Treccani
- **Canu N**, Possenti R, Rinaldi AM, Trani E, Levi A. (1997). Molecular cloning and characterization of the human VGF promoter region. *Journal of Neurochemistry*. vol. 68(4) pp. 1390-1399.
- Di Rocco G, Pennuto M, Illi B, **Canu N**, Filocamo G, Trani E, Rinaldi Am, Possenti R, Mandolesi G, Sirinian Mi, Jucker R, Levi A, Nasi S. (1997). Interplay of the E box, the cyclic AMP response element, and HTF4/HEB in transcriptional regulation of the neurospecific, neurotrophin-inducible vgf gene. *Molecular And Cellular Biology*. vol. 17(3) pp. 1244-1253.
- Dus L, **Canu N**, Zona C, Ciotti Mt, Calissano P. (1997). NMDA receptor modulation by a conditioned medium derived from rat cerebellar granule cells. *European Journal of Neuroscience*. vol. 9(12) pp. 2668-2676.
- Calissano P, Ciotti Mt, Galli C, Mercanti D, **Canu N**, Dus L, Barbato C, Vitolo Ov, Zona C (1997) The IGF-1 paradox in cerebellar granule cells: prevention of death via apoptosis open the route to death via glutamate-triggered necrosis.

In Molecular Mechanisms to Regulate the Activities of Insulin-Like Growth Factors. Pp 231-241. Edited By K. Takano, N.Hizuka And S-I Takahashi, Elsevier Sciences B.V.

- Trani E, Ciotti Mt, Rinaldi Am, **Canu N**, Ferri Gl, Levi A, And Possenti R (1995) Tissue-specific processing of the neuroendocrine protein VGF. *Journal of Neurochemistry* 6:2441-2449.
- Rossi A, Granata F, Augusti-Tocco G, **Canu N**, Levi A, And Possenti R (1992) Expression in murine and human neuroblastoma cell lines of VGF, a tissue specific protein. *Int J. of Dev. Neurosci.* 10:527-534.
- Levi A, **Canu N**, Trani E, Benedetti M, And Possenti R (1991) VGF: a tissue specific protein and a marker of NGF-induced neuronal differentiation. *In the Changing Visual System. Edited By Bagnoli and Hoods. Plenum Press*, New York, pp 319-323.
- Cattani P, **Canu N**, Perrone C, Sonsini P, Plaisant P (1990) Ricerca e caratterizzazione di papillomavirus umani in pazienti affetti da condilomi e carcinomi dell'area. *L'igiene Moderna 3bis*: 791-808.
- Fiori PL, Monaco G, Scappaticci A, Pugliese N, **Canu N** and Capuccinelli P (1988) Establishment of cell cultures from hydatid cysts of *Echinococcus granulosus*. *Intern. Journal for Parasitology* 3:297-30.
- Canu N, Florenzano F, di Luzio A, Ciotti,MT Modulation of D-serine racemase during neuronal cell death, CDD Conference 2009 on “Neurodegeneration, Maggio 2009.
- Canu N, Florenzano F, di Luzio A, Ciotti,MT Involvement of D-serine racemase during neuronal cell death, Nadia Canu, Fulvio Florenzano Molecular Mechanism of Neurodegeneration, Maggio 2009)
- M. Costanzi, D. Saraulli,C. Rossi-Arnaud, V. Barbato,M. Aceti, N. Canu, V. Cestari. Recovery from a memory deficit in Ras-GRF1 Knockout mice.5th Meeting on Molecular Mechanisms In Neuroscience, Milan, 19-20 June 2008
- Cestari V., Saraulli D., Rossi-Arnaud C. M., Canu N., Barbato V., Aceti M. & Costanzi M. Ras-GRF1 memory deficit in the inhibitory avoidance task is rescued by a two-learning-trials procedure. Abstract n°: 057.9 Ref.: FENS Abstr., vol.4, 057.9, 2008. 6th Forum of European Neuroscience, Geneve, July 12 – 16, 2008.
- G. Amadoro, V. Corsetti, A. Atlante, A. Gentile, S. Capsoni, N. Canu, A. Cattaneo, T.T., Rohn, P. Calissano Identification of a toxic caspase-derived N-terminal Tau fragment in cellular and animal Alzheimer disease models Abstr.

International Conference on Alzheimer's Disease Chicago 26-31 July 2008
Alzheimer's and Dementia Vol.4 issue 4 Suppl. 2 T415.

- G.Amadoro, V. Corsetti, N. Canu, A. Gentile, T. Rohn, P. Calissano Caspase-3 causes the toxic formation of human-tau-derived frgments during neuronal apoptosis. Abst 8th International Conference AD/PD (2007) 14-18 Marzo Salisburgo Austria Neurodegenerative Dis. 4 (Suppl 1): 1-350 (2007).
- G.Amadoro, V. Corsetti, A.Atlante, A. Gentile, N. Canu, M.T. Cencioni, T. Rohn, P.Calissano Generation of an human NH-2-derived tau fragment impairing mitochondrial function during apoptosis of cholinergic neurons Joint Italian-Swedish Neuroscience Abs. 56 Meeting 27-30 Settembre Verona (Italia).
- Amadoro,M.T. Ciotti, M. Costanzi, V. Cestari, P. Calissano and **N. Canu** (2006) Molecular mechanisms underlying tau induced neurotoxicity *FENS* Abst. P12908
- C. Barbato, **N. Canu**, N. Zambrano, A.L. Serafino, G. Minopoli, M.T. Ciotti, G. Amadoro, T. Russo, P. Calissano (2005) Interaction of tau with Fe65 links tau to Alzheimer's amyloid precursor protein. *VII International Conference AD/PD* Abs 84
- G. Amadoro, M. Ciotti, M. Costanzi, V. Cestari, P. Calissano, **N. Canu** (2005) Activation of NMDA receptor and MAP kinase are linked to N-terminal tau-induced degeneration in primary neuronal culture –*National congress of the Italian Society for Neuroscience and joint Italian-Swedish Neuroscience meeting* Abs 595
- **N. Canu**, G. Amadoro, M.Ciotti, M. Costanzi, V. Cestari, P. Calissano (2005) Tau N-terminal- linked degeneration in primary neuronal cultures is mediated by activation of NMDA receptor and MAP Kinase 12-35° *Society for Neuroscience* Abs 207
- C. Barbato, N. Corbi, **N. Canu**, M. Fanciulli, A.L.Serafino, M.T. Ciotti, V. Libri, T. Bruno, G. Amadoro, R. de Angelis, P. Calissano and C. Passananti (2003) Rb binding protein Che-1 interacts with tau protein in cerebellar granule neurons: modulation during neuronal apoptosis *SINS Società Italiana di Neuroscienze*, Abs 433 pg 5
- G. Amadoro, A.L.Serafino, C. Barbato, M.T.Ciotti, P.Calissano and **N.Canu** (2003) Role of N-terminal domain integrity on the survival of cerebellar granule neurons .Abs. *SINS Società Italiana di Neuroscienze*, Abs 374, pg5
- G. Amadoro, A.L.Serafino, C. Barbato, M.T.Ciotti, P.Calissano and **N.Canu** (2003) Overexpression of full length tau protects cerebellar granule neurons from apoptosis, while its N-terminal 44aa fragment induces cell-death. XXXVIII

Congresso AINP,CORSO di perfezionamento clinico-neuropatologico (comunicazione orale)

- **N.Canu**, R.Tufi, A.L.Serafino, G.Amadoro, M.T.Ciotti and P.Calissano (2003) Autophagy activates through cathepsin B the caspase cascade in cerebellar granule cells undergoing apoptosis. XXXVIII Congresso AINP,CORSO di perfezionamento clinico-neuropatologico (comunicazione orale)
- G. Amadoro G. Sacco A. Barbato C., Ciotti M.T., Calissano P., **Canu N** (2002): Role of tau integrity on neuronal survival. *FENS*, Abst.P222
- **Canu N**, Serafino A.L., Amadoro G., Ciotti M.T., Barbato C., Calissano P. (2002) Involvement of autophagic-lysosomal compartment in cerebellar granule neurone. *FENS* Abs P227
- **N. Canu**, A.L. Serafino, G. Amadoro, M.T. Ciotti, C. Barbato, P. Calissano (2002) Involvement of autophagic-lysosomal compartment in cerebellar granule neurons. 39Th annual meeting of AINP, *Clinical neuropathology* Vol 21 No 3, pag 111 (comunicazione orale)
- G. Amadoro, A. Sacco, C. Barbato, M.T.Ciotti, P. Calissano, **N. Canu** (2002) Role of tau integrity on neuronal survival, 39Th annual meeting of AINP, *Clinical neuropathology* Vol 21 No 3, pag 111
- **Canu N.**, Barbato C., Amadoro G., Ciotti M.T., P. Calissano (2001): Authophagy is activated in cerebellar granule neurons undergoing apoptotic cell death. *SINS Società Italiana di Neuroscienze* Abs G4
- **Canu N** (2000) Ubiquitin proteasome system in cerebellar granule neurons undergoing apoptosis. *EMBO whorshop on Ubiquitin-proteasome pathway and cellular regulation*. Abs 74
- **Canu N**, Barbato C, Ciotti MT, Dus L, and Calissano P (1999) Apoptosis in cerebellar granule cells is prevented by proteasome inhibitors. *SINS Società Italiana di Neuroscienze, Neurosc. Lett* 52:S94, Abs 68
- Calissano P, Galli C, **Canu N**, Ciotti MT, Piccini A, Atlante A, Bobba A, Marra E, Passerella S, Barbato C, De Bernardinis M, and Mercanti D (1999) In vitro neuronal death and event related to Alzheimer's disease. *SINS Società Italiana di Neuroscienze Neurosc. Lett* 52:S94, Abs 42
- **Canu N**, Barbato C, Ciotti MT, Dus L, and Calissano P (1999) Role of ubiquitin proteasome system in cerebellar granule neurons undergoing apoptosis. *European Congress of Cell Biology*, Abs A10, pg 222

- Trani E, **Canu N**, Amadoro G, Ferri GL, Rinaldi AM, Possenti R and Levi A (1999) Tissue specific processing of neuroendocrine VGF protein by the prohormone convertase PC1/3. *European Congress of Cell Biology*, Abs G-41
- **Canu N**, Barbato C, Ciotti MT, and Calissano P (1999) Ubiquitin-proteasome system in cerebellar granule neurons undergoing apoptosis. 17th ISN/13th ESN meeting. *J. Neurochem* Vol 73 Supplement, Abs C, S12
- Calissano P, Galli C, and **Canu N** (1999) Endogenous b-amyloid and truncated form of tau as possible agent of a self-propagating process on neuronal death. *Telethon Scientific Convention*, Abs 261, p 421.
- **Canu N**, Dus L, Barbato C, Ciotti MT, Brancolini C, Rinaldi AM, Cattaneo A, Novak M, Bradbury A, Calissano P (1998) Posttranslational modifications lead of tau during neuronal apoptosis lead to destabilization of the microtubular network. *The 6th International Conference on Alzheimer Disease and related disorders, Neurobiology of aging* S120, Abs 505
- Trani E, Rinaldi AM, **Canu N**, Ferri GL, Levi A and Possenti R (1998) Processamento tessuto specifico della proteina VGF da parte della proormone convertasi PC1/3. *Convegno Congiunto SIBBM-ABCD*, Abs 15.44
- Mandolesi G, Gargano S, Possenti R, **Canu N**, Nasi S, and Levi A (1998) Regulatory elements in a NGF-inducible gene. *5th IUBMB Conference on the Biochemistry of health and disease*, pg 26
- **Canu N**, Dus L, Barbato C, Ciotti MT, Brancolini C, Rinaldi AM, Novak M, Cattaneo A, Bradbury A and Calissano P (1998) Taglio e defosforilazione di tau in corso di apoptosis neuronale: effetti sulla integrità del sistema dei microtubuli. Giornate Pisane, Giovani cultori di neuroscienze. Abs
- **Canu N**, Dus L, Novak M, Ciotti MT, Calissano P, Barbato C, Bradbury A (1997) Posttranslational modification of tau during neuronal apoptosis. *Society for Neuroscience* Abs 23:357.19
- Trani E, **Canu N**, Rinaldi AM, Amadoro G, Levi A, Possenti R (1997) Identification of pro-hormone convertases responsible for processing of VGF. SINS Società Italiana di Neuroscienze, *Trends in Neuroscience* Vol 20, N°9 Supplement, Abs43.
- Dus L, **Canu N**, Zona C, Ciotti MT, Calissano P (1997) NMDA receptor modulation by a conditioned medium derived from cerebellar granule cells. SINS Società Italiana di Neuroscienze, *Trends in Neuroscience* Vol 20, N°9 Supplement, Abs23
- **Canu N**, Dus L, Novak M, Barbato C, Ciotti T, Rinaldi AM, Bradbury A, Calissano P (1997) Evidente for early tau alteration in cerebellar granule

cells undergoing apoptosis. SINS Società Italiana di Neuroscienze, *Trends in Neuroscience* Vol 20, N°9 Supplement, Abs 32

- Dus L, Barbato C, Bradbury A, Novak M, Calissano P and **Canu N** (1997) Apoptosi nei granuli di cervelletto di ratto:modificazioni della proteina stabilizzante i microtubuli tau. . *Convegno Congiunto SIBBM-ABCD*, Abs 2.9,33
- Possenti R, Trani E, Rinaldi AM, **Canu N**, Ferri GL, Ciotti MT, Levi A (1995) Espressione e processamento di VGF in colture primarie di granuli di cervelletto di ratto. *SINS Società Italiana di Neuroscienze*, Abs pg 114
- **Canu N**, Possenti R, Rinaldi AM, Trani E, Giovandone B, and Levi A (1995) Regolazione dell'espressione del gene neurospecifico umano VGF. *SINS Società Italiana di Neuroscienze*, Abs pg 32
- Dus L, **Canu N**, Ciotti MT, and Calissano P (1995) Modulazione della risposta al glutammato nei granuli del cervelletto di ratto ad opera di un fattore sensibilizzante. *SINS Società Italiana di Neuroscienze*, Abs pg 60
- Levi A, Di Rocco G, Canu N, Filocamo G, Trani E, Possenti R, Rinaldi AM, Giovandone B, e Nasi S (1995) Clonaggio molecolare di una proteina bHLH che si lega al promotore di un gene NGF-inducibile. *SINS Società Italiana di Neuroscienze*, Abs pg 12
- **Canu N**, Possenti R, Rinaldi AM, Trani E, Giovannone B, Levi A (1995) Human VGF promoter homology to rat and cell type specific expression. *Society for Neuroscience*, Abs 21:332.8
- Zona C, Dus L, **Canu N**, Ciotti MT, Calissano P (1995) Expression of glutamate receptor of rat cerebellar granules depend upon the volume of culture medium. *Annual meeting of Society for Neuroscience*, Abs 21:248-3
- Possenti R, Rinaldi AM, **Canu N**, Levi A, Ferri GL, Ciotti MT, Trani E (1994) Neuronal specific processing of VGF protein leads to the production and regulated secretion of peptides derived from its carboxy-terminal. *Annual meeting of Society for Neuroscience* Abs 20:472.15
- Possenti R, Levi A, Trani E, **Canu N**, Rinaldi AM (1993) VGF: a secretory protein. *EMBO workshop in protein transport, sorting and processing*, Abs 4
- **Canu N**, Trani E, Filocamo J, Di Rocco G, Possenti R, Levi A and Nasi S (1993) Clonaggio di una proteina della classe HLH che si lega al promotore del gene neurospecifico VGF. *SINS Società Italiana di Neuroscienze*, Abs 14
- Di Rocco G, Filocamo G, Nasi S, **Canu N**, Possenti R, and Levi A (1992) Identificazione e clonaggio di fattori che regolano l'espressione di un gene neurospecifico. *Convegno SIBBM-ABCD*, Abs B59

- **Canu N**, Levi A, Trani E, Rinaldi AM and Possenti R (1992) Molecular cloning and sequence analysis of human VGF cDNA. *Annual meeting of Society for Neuroscience Abs* 18:333-5
- Possenti R, **Canu N**, Trani E, Levi A, Ferri GL (1991) Tissue specific expression of VGF 8a a gene induced by NGF. *Annual meeting of Society for Neuroscience Abs* 17:599-1
- Possenti R, **Canu N**, Levi A, Rossi F, Granata G and Augusti-Tocco (1990) Expression of VGF 8a in neuroblastoma cells. *Third European Congress on Cell Biology, Abs*
- Fighetti M, **Canu N**, and Unger E (1981) Comparative effects of benzimidazole derivatives on D.Discoideum. *EMBO Whorkshop in Microtubules in micro-organism Abs pg 19*