

Elenco delle pubblicazioni

Venerosi A, Martire A, Rungi A, Pieri M, Ferrante A, Zona C, Popoli P, Calamandrei G.
Complex behavioral and synaptic effects of dietary branched chain amino acids in a mouse model of amyotrophic lateral sclerosis.

Mol Nutr Food Res. 2011 Jan 5.

Carunchio I, Curcio L, Pieri M, Pica F, Caioli S, Viscomi MT, Molinari M, Canu N, Bernardi G, Zona C.
Increased levels of p70s6 phosphorylation in the g93a mouse model of amyotrophic lateral sclerosis and in valine-exposed cortical neurons in culture.

Exp. Neurol. 2010 Nov, 226(1): 218-30.

Barbato C, Ruberti F, Pieri M, Vilardo E, Costanzo M, Ciotti MT, Zona C, Cogoni C. *MicroRNA-92 modulates K(+) Cl(-) co-transporter KCC2 expression in cerebellar granule neurons.*

J Neurochem. 2010 May, 113(3):591-600.

Zona C, Pieri M, Carunchio I, Curcio L, Klitgaard H, Margineanu DG.

Brivaracetam (ucb 34714) inhibits Na(+) current in rat cortical neurons in culture.

Epilepsy Res. 2010 Jan;88(1):46-54.

Loizzo S, Pieri M, Ferri A, Carrì MT, Zona C, Fortuna A, Vella S.

Dynamic NAD(P)H post-synaptic autofluorescence signals for the assessment of mitochondrial function in a neurodegenerative disease: Monitoring the primary motor cortex of G93A mice, an amyotrophic lateral sclerosis model. **Mitochondrion.** 2010 Mar;**10(2):108-14.**

Mollinari C, Ricci-Vitiani L, Pieri M, Lucantoni C, Rinaldi AM, Racaniello M, De Maria R, Zona C, Pallini R, Merlo D, Garaci E.

Downregulation of thymosin beta4 in neural progenitor grafts promotes spinal cord regeneration.

J Cell Sci. 2009 Nov 15;122(Pt 22):4195-207.

I. Carunchio, C. Mollinari, M. Pieri, D. Merlo, C. Zona.

GABA_A receptors present higher affinity and modified subunits composition in spinal motor neurons from a genetic model of Amyotrophic Lateral Sclerosis.

Europ. J. Neurosci. 2008 Oct;28(7):1275-85.

C. Sgobio, A. Trabalza, A. Spalloni, C. Zona, I. Carunchio, P. Longone, M. Ammassari-Teule.

Abnormal medial prefrontal cortex connectivity and defective fear extinction in the presymptomatic G93A SOD1 mouse model of ALS.

Genes Brain Behav. 2008; 7 (4): 427-34.

E. Guatteo, I. Carunchio, M. Pieri, F. Albo, N. Canu, NB. Mercuri and C. Zona.

Altered calcium homeostasis in motor neurons following AMPA receptor but not voltage-dependent calcium channels' activation in a genetic model of amyotrophic lateral sclerosis.

Neurobiol. Dis. 2007; 28 :90-100.

G. Amadoro, M. Pieri, MT. Ciotti, I. Carunchio, N. Canu, P. Calissano, C. Zona, C. Severini.

Substance P provides neuroprotection in cerebellar granule cells through Akt and MAPK/Erk activation: evidence for the involvement of the delayed rectifier potassium current.

Neuropharmacology. 2007; 52(6):1366-77.

I. Carunchio, M. Pieri, MT. Ciotti, F. Albo, C. Zona.

Modulation of AMPA receptors in cultured cortical neurons induced by the antiepileptic drug levetiracetam.

Epilepsia. 2007; 48(4):654-62.

G. Diana, G. Valentini, S. Travaglione, L. Falzano, M. Pieri, C. Zona, S. Meschini, A. Fabbri, C. Fiorentini.

Enhancement of learning and memory after activation of cerebral Rho GTPases.

Proc. Natl. Acad. Sci. U.S.A., 2007; 104 (9):636-41.

C. Severini, C. Zona.

Tachykinins and excitotoxicity in cerebellar granule cells.

Cerebellum. 2006;5(3):232-7.

C. Zona, M. Pieri, I. Carunchio.

Voltage-dependent sodium channels in spinal cord motor neurons display rapid recovery from fast inactivation in a mouse model of amyotrophic lateral sclerosis.

J. Neurophysiol. 2006; 96(6):3314-22.

M. Pieri, C. Severini, G. Amadoro, I. Carunchio, C. Barbato, MT. Ciotti, C. Zona.

AMPA receptors are modulated by tachykinins in rat cerebellum neurons.

J. Neurophysiol. 2005; 94(4):2484-90.

A. Lisi, M.T. Ciotti, M. Ledda, M. Pieri, C. Zona, D. Mercanti, S. Rieti, L. Giuliani, S. Grimaldi.

Exposure to 50 Hz electromagnetic radiation promote early maturation and differentiation in newborn rat cerebellar granule neurons.

J. Cell Physiol., 2005; 204(2): 532-8.

A. Spalloni, T. Pascucci, F. Albo, F. Ferrari, S. Pugliesi-Allegra, C. Zona, G. Bernardi, P. Longone. Altered vulnerability to kainate excitotoxicity of transgenic Cu/Zn SOD1 neurones.

Neuroreport, 2004; 15 (16): 2477-80

F. Albo, M. Pieri, C. Zona. Modulation of AMPA receptors in spinal motor neurons by the neuroprotective agent riluzole.

J. Neurosci. Res., 2004; 78 (2): 200-07

A. Crestini, C. Zona, P. Sebastiani, M. Pieri, V. Caracciolo, L. Malvezzi-Campeggi, A. Gonfalonni, S. Di Loreto.

Effects of simulated microgravity on the development and maturation of dissociated cortical neurons.

In Vitro Cell Dev. Biol. Anim., 2004; 40 (5-6): 159-165

A. Spalloni, F. Albo, F. Ferrari, N. Mercuri, G. Bernardi, C. Zona, P. Longone.

Cu/Zn-superoxide dismutase (GLY93→ALA) mutation alters AMPA receptor subunit expression and function and potentiates kainate-mediated toxicity in motor neurons in culture.

Neurobiology of Disease, 2004; 15(2): 340-350

M. Pieri, F. Albo, C. Gaetti, A. Spalloni, C. P. Bengtson, P. Longone, G. Bernardi, S. Cavalcanti, C. Zona.

Altered excitability of motor neurons in a transgenic mouse model of familial amyotrophic lateral sclerosis.

Neurosc. Letters, 2003; 351 (3): 153-156

M. Pieri, C. Gaetti, A. Spalloni, S. Cavalcanti, N. Mercuri, G. Bernardi, P. Longone, C. Zona.

AMPA receptors in spinal cord motor neurons are altered in transgenic mice overexpressing human Cu,Zn superoxide dismutase (Gly⁹³ → Ala) mutation.

Neuroscience, 2003; 122 (1): 47-58

R. Geracitano, E. Paolucci, S. Prisco, E. Guatteo, C. Zona, P. Longone, M. Ammassari-Teule, G. Bernardi, N. Berretta, N.B. Mercuri.

Altered long-term corticostriatal synaptic plasticity in transgenic mice overexpressing human CU/ZN superoxide dismutase (GLY(93)-->ALA) mutation.

Neuroscience. 2003;118(2):399-408.

C. Zona, V. Tancredi, P. Longone, G. D'Arcangelo, M. D'Antuono, M. Manfredi, M. Avoli.

Neocortical potassium currents are enhanced by the antiepileptic drug lamotrigine.

Epilepsia, 2002; 43 (7): 685-690

C. Zona, S. Cavalcanti, G. De Sarro, A. Siniscalchi, C. Marchetti, C. Gaetti, N. Costa, N. Mercuri, G. Bernardi.

Kainate-induced currents in rat cortical neurons in culture are modulated by riluzole.

Synapse. 2002; 43(4) : 244-51

C. Zona, I. Niespodziany, C. Marchetti, H. Klitgaard, G. Bernardi, D.G. Margineanu.

Levetiracetam does not modulate neuronal voltage-gated Na⁺ and T-type Ca²⁺ currents.

Seizure, 2001; 10 (4)279-286

C. Zona, C. Marchetti, C. Volontè, N. B. Mercuri, G. Bernardi.

Effect of P2 purinoceptor antagonists on kainate-induced currents in rat cultured neurons.

Brain Research, 2000; 882 (1-2)26-35.

Siniscalchi, C. Zona, G. Sancesario, E. D'Angelo, Y. C. Zeng, N. B. Mercuri, G. Bernardi.

Neuroprotective effects of riluzole: an electrophysiological and histological analysis in an in vitro model of ischemia.

Synapse, 1999; 32 (3): 147-52

M.T. Carrì, R. Gabbianelli, A. Ferri, C. Zona, G. Rotilio.

Transfection of neuroblastoma cells with SOD mutants as a cellular model for ALS.

Superoxide dismutases: recent advances and clinical applications, Editor: Marvin A. Edeas, 121-125 (1999)

Siniscalchi, C. Zona, E. Guatteo, N. B. Mercuri, G. Bernardi.

An electrophysiological analysis of the protective effects of felbamate, lamotrigine and lidocaine on the functional recovery from in vitro ischemia in rat neocortical slices.

Synapse 1998; 30 (4), 371-379

C. Zona, A. Ferri, R. Gabbianelli, N.B. Mercuri, G. Bernardi, G. Rotilio, M.T. Carrì.

Voltage-activated sodium currents in a cell line expressing a Cu,Zn superoxide dismutase typical of familial ALS.

Neuroreport 1998; 9 (15)3515-3518

P. Calissano, M. T. Ciotti, C. Galli, D. Mercanti, N. Canu, L. Dus, C. Barbato, O.V. Vitolo, C. Zona.

The IGF-I paradox in cerebellar granule cells : prevention of death via apoptosis opens the route to death via glutamate-triggered necrosis

Molecular mechanisms to regulate the activities of insulin-like growth factors. Edited by K. Takano, N. Hizuka and S-I. Takahashi, 231-241 (1998).

C. Zona, A. Siniscalchi, N. B. Mercuri, G. Bernardi.

Riluzole interacts with voltage-activated sodium and potassium currents in cultured rat cortical neurons.

Neuroscience 1998; 85(3): 931-938

M. Avoli, H. S., White, C. Zona, D. Ragsdale.

Sites of action for conventional and newer antiepileptic drugs: focus on valproate, lamotrigine and topiramate.

eds. G. Avanzini, G. Regesta, P. Tanganelli, M. Avoli, John Libbey & Company Ltd, **Molecular and cellular targets for anti-epileptic drugs**, (1997), 199-205

C. Zona, M. T. Ciotti, M. Avoli.

Topiramate attenuates voltage-gated sodium currents in rat cerebellar granule cells.

Neuroscience Letters 1997; 231(3): 123-126

C. Zona, M. Avoli.

Lamotrigine reduces voltage-gated sodium currents in rat central neurons in culture.

Epilepsia, 1997; 38 (5),522-525

S. Cavalcanti, C. Zona.

Digital processing of the current noise evoked by kainate in cerebellar granule cells.

Annals of Biomedical Engineering , 1997; 25 (3) 452-459

L. Dus, N. Canu, C. Zona, M. T. Ciotti, P. Calissano.

NMDA receptor modulation by a conditioned medium derived from rat cerebellar granule cells.

The European Journal of Neuroscience , 1997; 9(12), 2668-2676

C. Zona, M. T. Ciotti, P. Calissano.

Human recombinant IGF-I induces the functional expression of AMPA/Kainate receptors in cerebellar granule cells

Neuroscience Letters, 1995; 186 (2-3), 75-78

Urbani, L. Bongiorno, M. Marini, F. Bolacchi, C. Zona, L. G. Roda.
Effect of differentiation on hydrolysis and association of Leu-Enkephalin to K562(S) cells.
Peptides, 1994; 15 (7) 1213-1222

A. Urbani, L. Bongiorno, M. Marini, C. Zona, L. G. Roda.
Hydrolysis of leucine enkephalin and its association to the K562(S) erythroleukaemic cell line
Immunopharmacology, 1994; 27 (2)119-130

C. Zona, E. Palma, A. Brancati, M. Avoli.
Age-dependent appearance of synaptic currents in rat neocortical neurons in culture.
Synapse, 1994, 18 (1): 1-6

C. Zona, E. Palma, L. Pellerin, M. Avoli.
Arachidonic acid augments potassium currents in rat neocortical neurons.
Neuroreport, 1993; 4 (4) 359-362

P. Calissano, M. T. Ciotti, L. Battistini, C. Zona, A. Angelini, D. Merlo, D. Mercanti.
Recombinant human insulin-like growth factor I exerts a trophic action and confers glutamate sensitivity on glutamate-resistant cerebellar granule cells.
Proceedings of the National Academy of Sciences, U.S.A. 1993; 90 (18), 8752-8756

C. Zona, D. Ragozzino, M. T. Ciotti, D. Mercanti, M. Avoli, A. Brancati, P. Calissano.
Sodium, calcium and late potassium currents are reduced in cerebellar granule cells cultured in the presence of a protein complex conferring resistance to excitatory amino acids.
The European Journal of Neuroscience 1993; 5 (11) 1479-1484

C. Zona, V. Tancredi, E. Palma, F. Grassi, F. Vellotti, F. Eusebi, A. Santoni.
Effetti dell'interleuchina-2 sui meccanismi di base della memoria, da **"La complessita' della memoria"**, (1992), a cura di G. Vella e A. Siracusano, Il Pensiero Scientifico Editore

V. Tancredi, G. D'Arcangelo, C. Zona, A. Siniscalchi, M. Avoli.
Induction of epileptiform activity by temperature elevation in rat hippocampal slices from young rats: an in vitro model for febrile seizures ?
Epilepsia 1992; 33(2), 228-234

C. Zona, D. Farini, E. Palma, F. Eusebi.
Modulation of voltage-activated channels by calcitonin gene-related peptide in cultured rat neurones.
Journal of Physiology 1991, 433, 631-643

V. Tancredi, C. Zona, M. Avoli.
Temperature-induced epileptiform discharges in the rat immature hippocampus maintained in vitro.
Epilepsia, 1990: 31, 650-655

V. Tancredi, C. Zona, F. Vellotti, F. Eusebi, A. Santoni.
Interleukin-2 suppresses established long-term potentiation and inhibits its induction in the rat hippocampus

Brain Research, 1990; 525 (1), 149-151

C. Zona, V. Tancredi, E. Palma, G. Pirrone, M. Avoli.

Potassium currents in rat cortical neurons in culture are enhanced by the antiepileptic drug carbamazepine

Canadian Journal of Physiology and Pharmacology, 1990; 68 (4), 545-547

C. Zona, M. Avoli.

Effects induced by the antiepileptic drug valproic acid upon the ionic currents recorded in rat neocortical neurons in cell culture.

Experimental Brain Research, 1990; 81 (2), 313-317

V. Tancredi, G. G. C. Hwa, C. Zona, A. Brancati, M. Avoli.

Low magnesium epileptogenesis in the rat hippocampal slice: electrophysiological and pharmacological features.

Brain Research, 1990; 511 (2), 280-290

C. Zona, F. Eusebi, R. Miledi.

Glycosilation is required for maintenance of functional voltage-activated channels in growing neocortical neurons of the rat.

Proceedings Royal Society London Biol. Sci. 1990, 239 (1295), 119-127

C. Zona, M. Avoli.

Calcium-activated potassium channels recorded from rat neocortical neurons in cell culture.

Neuroscience Letters, 1989; 102 (2-3), 223-228

M. A. Dichter, C. Zona.

Calcium currents in cultured rat cortical neurons.

Brain Research, 1989; 492 (1-2), 219-229

C. Zona, G. Pirrone, M. Avoli, M. A. Dichter.

Delayed and fast transient potassium currents in rat neocortical neurons in cell culture.

Neuroscience Letters, 1988; 94 (3), 285-290

C. Zona, G. Roscetti, F. Venturelli, L.G. Roda.

Effect of different parameters on the binding of two antiinflammatory drugs to human serum albumin.

Pharmacology Biochemistry and Behaviour, 1986; 24(4), 1031-7

M. Delfino, S. Carlone, E. Angelici, C. Zona, F. Del Bolgia, A. Nigri, P. Serra, A. Reale.

Determinazione della gittata cardiaca mediante impedenza elettrica toracica : comparazione con la termodiluzione.

G. Ital. Cardiol., (1984), XIV/I, 2, 101-107

A. Caprioli, V. Falbo, L. G. Roda, F. M. Ruggeri, C. Zona.

Partial purification and characterization of an Escherichia coli toxic factor that induces morphological cell alterations.

Infect. Immun., 1983; 39(3), 1300-1306